

SINGLE SECTION LADDERS



Aluminium Rung - GL1 Range



Glassfibre - AFL Range

- Available in both Aluminium rung and all fibre versions
- Special rung joints - strong anti twist fixing
- Heavy duty channel section
- Heavy duty rubber feet for prolonged life
- Fully repairable
- All items listed here are Kitemarked BS EN131

ORDERING CODES		LENGTH CLOSED	RUNGS PER SECTION	APPROX WEIGHT
ALLOY RUNG	G/FIBRE RUNG			
GL1 09	AFL 09	2.35m	9	7kg
GL1 12	AFL 12	3.05m	12	9kg
GL1 14	AFL 14	3.55m	14	11kg
GL1 16	AFL 16	4.10m	16	14kg
GL1 19	AFL 19	4.83m	19	16kg

DOUBLE EXTENSION LADDERS



Aluminium Rung - GL2 Range



Glassfibre - AFD Range

- Available in both Aluminium rung and all fibre versions
- Special rung joints - strong anti twist fixing
- Heavy duty channel section
- Wall running wheels
- Auto locking clutch - arrests every rung
- Optional rope operation
- Heavy duty rubber feet for prolonged life
- Fully repairable
- All items listed here are Kitemarked BS EN131

ORDERING CODES		LENGTH CLOSED	LENGTH EXTENDED	RUNGS PER SECTION	APPROX WEIGHT
ALLOY RUNG	G/FIBRE RUNG				
GL2 09	AFD 09	2.35m	4.05m	9	14kg
GL2 12	AFD 12	3.05m	5.55m	12	18kg
GL2 14	AFD 14	3.55m	6.30m	14	22kg
GL2 16	AFD 16	4.10m	7.55m	16	28kg
GL2 19	AFD 19	4.83m	8.85m	19	32kg

Add 'R' to codes for rope operation, e.g. GL2R 09

TRIPLE SECTION LADDERS



Aluminium Rung - GL3 Range



Glassfibre - AFT Range

- Available in both Aluminium rung and all fibre versions
- Special rung joints - strong anti twist fixing
- Heavy duty channel section
- Wall running wheels
- Auto locking clutch - arrests every rung
- Optional rope operation
- Heavy duty rubber feet for prolonged life
- Fully repairable
- All items listed here are Kitemarked BS EN131

ORDERING CODES		LENGTH CLOSED	LENGTH EXTENDED	RUNGS PER SECTION	APPROX WEIGHT
ALLOY RUNG	G/FIBRE RUNG				
GL3 09	AFT 09	2.55m	5.87m	9	21kg
GL3 12	AFT 12	3.26m	7.45m	12	27kg
GL3 14	AFT 14	3.71m	9.25m	14	34kg

Add 'R' to codes for rope operation, e.g. GL3R 09