

---

Single Section Ladder	13
Double Extension Ladder	13
Triple Extension Ladder	14
Window Cleaning 'A' Ladders	15
Roof Ladder	16
Shelf Ladder	16
Swingback Step	17
Folding Platform Step	17
Double Sided Step	18
Folding Trestle	18
Staging	19
Loft Ladder	19

## SPECIFICATIONS

### Ladders

Stiles: 72 x 32mm Douglas Fir

Rung: Barrelled shaped American Ash

Fittings: Steel BZP rust proofed

Polyurethane exterior varnish finished

Kitemarked (where indicated) BS 1129 Class I Industrial

Designed For Heavy Industrial Use

### Steps

Stiles: 72 x 28mm or 32mm Douglas Fir

Backleg: Mortise and tenoned for long life

67° Douglas fir Tread Serrated For Grip

Platform Steps: Rear Cross Braces

Varnished finished

Kitemarked (where indicated) BS 1129 Class I Industrial

Designed For Heavy Industrial Use

# SINGLE SECTION LADDER DOUBLE EXTENSION LADDER

## SINGLE SECTION LADDER

For timber specification refer to page 12

- Optional tie rods every rung add a T to the code e.g. HDS08T
- All items listed here are Kitemarked BS 1129 class I industrial unless marked \*

REFERENCE	OVERALL LENGTH	INTERNAL WIDTH	EXTERNAL WIDTH	RUNGS	WEIGHT
HDS08	GPS08*	2.36m	385mm	9	8.0kg
HDS10	GPS10*	3.00m	385mm	11	9.0kg
HDS12	GPS12*	3.63m	385mm	13	12.0kg
HDS14	GPS14*	4.19m	385mm	16	14.0kg
HDS16	GPS16*	4.75m	385mm	18	16.0kg
HDS18		5.41m	385mm	21	20.0kg
HDS20		6.00m	385mm	23	23.0kg



## DOUBLE SECTION LADDER

For timber specification refer to page 12

- Clutch operation fitted as standard on HHD14 and over.
- Optional tie rods every rung add a 'T' to the code e.g. HHD08T
- Optional rope operation add a 'R' to the code e.g. HHD08R
- All items listed here are Kitemarked BS 1129 class I industrial unless marked \*

ORDERING CLASS	CODES TRADE	OVERALL LENGTH	EXTENDED LENGTH	OVERALL WIDTH	NUMBER OF RUNGS	APPROX WEIGHT
HHD08	GPD08*	2.36m	4.14m	385mm	9	15.0kg
HHD09	GPD09*	2.67m	4.80m	385mm	10	17.0kg
HHD10	GPD10*	3.00m	5.41m	385mm	11	18.0kg
HHD11	GPD11*	3.28m	5.79m	385mm	12	21.0kg
HHD12	GPD12*	3.63m	6.68m	385mm	13	24.0kg
HHD14	GPD14*	4.19m	7.70m	385mm	16	29.0kg
HHD16	GPD16*	4.75m	8.71m	385mm	18	34.0kg
HHD18		5.41m	9.98m	385mm	21	43.0kg
HHD20		6.00m	11.0m	385mm	23	52.0kg

Timber  
- HHD/GPD Range



Triple Extension Ladder - HDT Range

**TRIPLE SECTION LADDER**

For timber specification refer to page 12

- Clutch operation fitted as standard on HDT12 and over
- Optional tie rods every rung add a 'T' to the code e.g. HDT08T
- Optional rope operation add a 'R' to the code e.g. HDT08R
- All items listed here are Kitemarked BS 1129 Class I Industrial unless marked \*

N.B. Please specify when ordering if ladders are to be used for live electrical work

ORDERING CODES		OVERALL LENGTH	EXTENDED LENGTH	OVERALL WIDTH	NUMBER OF RUNGS	APPROX WEIGHT	
CLASS I	TRADE					HDT	GPT
HDT08	GPT08	2.36m	5.41m	385mm	9	28.0Kg	20.0Kg
HDT10	GPT10	3.00m	7.70m	385mm	10	30.0Kg	25.0Kg
HDT12R	GPT12	3.63m	9.22m	385mm	13	38.0Kg	30.0Kg
HDT14R		4.19m	10m	385mm	16	47.0Kg	
HDT16R		4.75m	12.80m	385mm	18	70.0Kg	
HDT18R		5.41m	14.30m	385mm	21	90.0Kg	
HDT20R		6.00m	15.82m	385mm	23	101.0Kg	